PAIN

Pain 114 (2005) 528–531

www.elsevier.com/locate/pain

# Author Index to Volume 114 (2005)

Affaitati, G., see Giamberardino, M.A., **114** 239
Ala-Kokko, L., see Noponen-Hietala, N., **114** 186
Alchaar, H., see Bouhassira, D., **114** 29
Alloui, A., see Bonnefont, J., **114** 482
Álvarez-Leefmans, F.J., see Granados-Soto, V., **114** 231
Anand, K.J.S., see Peters, J.W.B., **114** 444
Anand, P., see Chessell, I.P., **114** 386
Andresen, E.M., see Chibnall, J.T., **114** 462
Anton, F., see Geiss, A., **114** 104
Arendt-Nielsen, L., see Slater, H., **114** 118
Arguelles, C.F., see Granados-Soto, V., **114** 231
Arnott, L.F., see French, D.J., **114** 358
Arsenault, P., see Julien, N., **114** 295
Asmundson, G.J.G., Carleton, R.N., Ekong, J., Dot-probe evaluation of selective attentional processing of pain cues in patients with chronic headaches, **114** 250
Attal, N., see Bouhassira, D., **114** 29

Bach, F.W., see Svendsen, K.B., **114** 473
Baeyens, J.M., see Moncada, A., **114** 212
Barral, S., see Noponen-Hietala, N., **114** 186
Bauer, H.W., see Geiss, A., **114** 104
Benedetti, F., see Finniss, D.G., **114** 3
Berbaum, K., see Lang, E.V., **114** 303
Bereiter, D.A., see Okamoto, K., **114** 203
Binkofski, F., see Mohr, C., **114** 347
Birch, R., see Chessell, I.P., **114** 386
Birklein, F., see Maihöfner, C., **114** 93
Blake, D.R., see McCabe, C.S., **114** 518
Blatter, B.M., see van den Heuvel, S.G., **114** 47
Bohotin, C., see Multon, S., **114** 257
Bongers, P.M., see van den Heuvel, S.G., **114** 47
Bonnefont, J., Chapuy, E., Clottes, E., Alloui, A., Eschalier, A., Spinal 5-$HT_{1A}$ receptors differentially influence nociceptive processing according to the nature of the noxious stimulus in rats: effect of WAY-100635 on the antinociceptive activities of paracetamol, venlafaxine and 5-HT, **114** 482
Bouhassira, D., Attal, N., Alchaar, H., Boureau, F., Brochet, B., Bruxelle, J., Cunin, G., Fermanian, J., Ginies, P., Grun-Overdyking, A., Jafari-Schluep, H., Lantéri-Minet, M., Laurent, B., Mick, G., Serrie, A., Valade, D., Vicaut, E., Comparison of pain syndromes associated with nervous or somatic lesions and development of a new neuropathic pain diagnostic questionnaire (DN4), **114** 29
Bouhassira, D., Kern, D., Rouaud, J., Pelle-Lancien, E., Morain, F., Investigation of the paradoxical painful sensation ('illusion of pain') produced by a thermal grill, **114** 160
Boulet, J.M., see Pomonis, J.D., **114** 339
Bountra, C., see Chessell, I.P., **114** 386
Boureau, F., see Bouhassira, D., **114** 29
Brennan, F., see Cousins, M.J., **114** 520
Brennan, T.J., see Zahn, P.K., **114** 499
Brimelow, B.C., see Pathirathna, S., **114** 429
Brioni, J., see Zhu, C.Z., **114** 195
Brochet, B., see Bouhassira, D., **114** 29
Brooks, J.C.W., see Zambreanu, L., **114** 397
Bruxelle, J., see Bouhassira, D., **114** 29
Büchel, C., see Mohr, C., **114** 347
Buell, G.N., see Chessell, I.P., **114** 386
Buhler, A.V., Choi, J., Proudfit, H.K., Gebhart, G.F., Neurotensin activation of the NTR1 on spinally-projecting serotonergic neurons in the rostral ventromedial medulla is antinociceptive, **114** 285
Bunton, T., see Pomonis, J.D., **114** 339

Carleton, R.N., see Asmundson, G.J.G., **114** 250
Carr, D.B., see Cousins, M.J., **114** 520
Casula, M.A., see Chessell, I.P., **114** 386
Cendán, C.M., see Moncada, A., **114** 212
Chambers, C.T., see Stanford, E.A., **114** 278
Chang, R., see Zhu, C.Z., **114** 195
Chapuy, E., see Bonnefont, J., **114** 482
Chessell, I.P., Hatcher, J.P., Bountra, C., Michel, A.D., Hughes, J.P., Green, P., Egerton, J., Murfin, M., Richardson, J., Peck, W.L., Grahames, C.B.A., Casula, M.A., Yiangou, Y., Birch, R., Anand, P., Buell, G.N., Disruption of the $P2X_7$ purinoceptor gene abolishes chronic inflammatory and neuropathic pain, **114** 386
Chibnall, J.T., Tait, R.C., Andresen, E.M., Hadler, N.M., Race and socio-economic differences in post-settlement outcomes for African American and Caucasian Workers' Compensation claimants with low back injuries, **114** 462
Choi, J., see Buhler, A.V., **114** 285
Clottes, E., see Bonnefont, J., **114** 482
Costantini, R., see Giamberardino, M.A., **114** 239
Cousins, M.J., Brennan, F., Carr, D.B., PAIN: comment in reply to Dr David Knapp's Letter "Pain relief: a universal right", **114** 520
Covey, D.F., see Pathirathna, S., **114** 429
Crager, S.E., see Mogil, J.S., **114** 523
Craig, K.D., see Stanford, E.A., **114** 278
Cunin, G., see Bouhassira, D., **114** 29

Darnell, R., see Sterling, M., **114** 141
Davis, K.D., Seminowicz, D.A., Response to Legrain et al., **114** 526
de Jong, P.J., see Houben, R.M.A., **114** 491
de Vet, H.C.W., see Ostelo, R.W.J.G., **114** 177
Decker, M.W., see Zhu, C.Z., **114** 195
Defays, C., see Multon, S., **114** 257
Del Pozo, E., see Moncada, A., **114** 212
DeLeo, J.A., see LaCroix-Fralish, M.L., **114** 71
Dinse, M., see Usichenko, T.I., **114** 320
Duivenvoorden, H.J., see Peters, J.W.B., **114** 444

Eccleston, C., see Keogh, E., **114** 37
Edwards, R.R., Sarlani, E., Wesselmann, U., Fillingim, R.B., Quantitative assessment of experimental pain perception: multiple domains of clinical relevance, **114** 315
Egerton, J., see Chessell, I.P., **114** 386
El-Kouhen, O., see Zhu, C.Z., **114** 195
Ekong, J., see Asmundson, G.J.G., **114** 250
Erdmann, C., see Mohr, C., **114** 347

doi:10.1016/S0304-3959(05)00094-1

PAIN

Pain 114 (2005) 528–531

www.elsevier.com/locate/pain

# Author Index to Volume 114 (2005)

Affaitati, G., see Giamberardino, M.A., **114** 239
Ala-Kokko, L., see Noponen-Hietala, N., **114** 186
Alchaar, H., see Bouhassira, D., **114** 29
Alloui, A., see Bonnefont, J., **114** 482
Álvarez-Leefmans, F.J., see Granados-Soto, V., **114** 231
Anand, K.J.S., see Peters, J.W.B., **114** 444
Anand, P., see Chessell, I.P., **114** 386
Andresen, E.M., see Chibnall, J.T., **114** 462
Anton, F., see Geiss, A., **114** 104
Arendt-Nielsen, L., see Slater, H., **114** 118
Arguelles, C.F., see Granados-Soto, V., **114** 231
Arnott, L.F., see French, D.J., **114** 358
Arsenault, P., see Julien, N., **114** 295
Asmundson, G.J.G., Carleton, R.N., Ekong, J., Dot-probe evaluation of selective attentional processing of pain cues in patients with chronic headaches, **114** 250
Attal, N., see Bouhassira, D., **114** 29

Bach, F.W., see Svendsen, K.B., **114** 473
Baeyens, J.M., see Moncada, A., **114** 212
Barral, S., see Noponen-Hietala, N., **114** 186
Bauer, H.W., see Geiss, A., **114** 104
Benedetti, F., see Finniss, D.G., **114** 3
Berbaum, K., see Lang, E.V., **114** 303
Bereiter, D.A., see Okamoto, K., **114** 203
Binkofski, F., see Mohr, C., **114** 347
Birch, R., see Chessell, I.P., **114** 386
Birklein, F., see Maihöfner, C., **114** 93
Blake, D.R., see McCabe, C.S., **114** 518
Blatter, B.M., see van den Heuvel, S.G., **114** 47
Bohotin, C., see Multon, S., **114** 257
Bongers, P.M., see van den Heuvel, S.G., **114** 47
Bonnefont, J., Chapuy, E., Clottes, E., Alloui, A., Eschalier, A., Spinal 5-$HT_{1A}$ receptors differentially influence nociceptive processing according to the nature of the noxious stimulus in rats: effect of WAY-100635 on the antinociceptive activities of paracetamol, venlafaxine and 5-HT, **114** 482
Bouhassira, D., Attal, N., Alchaar, H., Boureau, F., Brochet, B., Bruxelle, J., Cunin, G., Fermanian, J., Ginies, P., Grun-Overdyking, A., Jafari-Schluep, H., Lantéri-Minet, M., Laurent, B., Mick, G., Serrie, A., Valade, D., Vicaut, E., Comparison of pain syndromes associated with nervous or somatic lesions and development of a new neuropathic pain diagnostic questionnaire (DN4), **114** 29
Bouhassira, D., Kern, D., Rouaud, J., Pelle-Lancien, E., Morain, F., Investigation of the paradoxical painful sensation ('illusion of pain') produced by a thermal grill, **114** 160
Boulet, J.M., see Pomonis, J.D., **114** 339
Bountra, C., see Chessell, I.P., **114** 386
Boureau, F., see Bouhassira, D., **114** 29
Brennan, F., see Cousins, M.J., **114** 520
Brennan, T.J., see Zahn, P.K., **114** 499
Brimelow, B.C., see Pathirathna, S., **114** 429
Brioni, J., see Zhu, C.Z., **114** 195
Brochet, B., see Bouhassira, D., **114** 29
Brooks, J.C.W., see Zambreanu, L., **114** 397
Bruxelle, J., see Bouhassira, D., **114** 29
Büchel, C., see Mohr, C., **114** 347
Buell, G.N., see Chessell, I.P., **114** 386
Buhler, A.V., Choi, J., Proudfit, H.K., Gebhart, G.F., Neurotensin activation of the NTR1 on spinally-projecting serotonergic neurons in the rostral ventromedial medulla is antinociceptive, **114** 285
Bunton, T., see Pomonis, J.D., **114** 339

Carleton, R.N., see Asmundson, G.J.G., **114** 250
Carr, D.B., see Cousins, M.J., **114** 520
Casula, M.A., see Chessell, I.P., **114** 386
Cendán, C.M., see Moncada, A., **114** 212
Chambers, C.T., see Stanford, E.A., **114** 278
Chang, R., see Zhu, C.Z., **114** 195
Chapuy, E., see Bonnefont, J., **114** 482
Chessell, I.P., Hatcher, J.P., Bountra, C., Michel, A.D., Hughes, J.P., Green, P., Egerton, J., Murfin, M., Richardson, J., Peck, W.L., Grahames, C.B.A., Casula, M.A., Yiangou, Y., Birch, R., Anand, P., Buell, G.N., Disruption of the $P2X_7$ purinoceptor gene abolishes chronic inflammatory and neuropathic pain, **114** 386
Chibnall, J.T., Tait, R.C., Andresen, E.M., Hadler, N.M., Race and socio-economic differences in post-settlement outcomes for African American and Caucasian Workers' Compensation claimants with low back injuries, **114** 462
Choi, J., see Buhler, A.V., **114** 285
Clottes, E., see Bonnefont, J., **114** 482
Costantini, R., see Giamberardino, M.A., **114** 239
Cousins, M.J., Brennan, F., Carr, D.B., PAIN: comment in reply to Dr David Knapp's Letter "Pain relief: a universal right", **114** 520
Covey, D.F., see Pathirathna, S., **114** 429
Crager, S.E., see Mogil, J.S., **114** 523
Craig, K.D., see Stanford, E.A., **114** 278
Cunin, G., see Bouhassira, D., **114** 29

Darnell, R., see Sterling, M., **114** 141
Davis, K.D., Seminowicz, D.A., Response to Legrain et al., **114** 526
de Jong, P.J., see Houben, R.M.A., **114** 491
de Vet, H.C.W., see Ostelo, R.W.J.G., **114** 177
Decker, M.W., see Zhu, C.Z., **114** 195
Defays, C., see Multon, S., **114** 257
Del Pozo, E., see Moncada, A., **114** 212
DeLeo, J.A., see LaCroix-Fralish, M.L., **114** 71
Dinse, M., see Usichenko, T.I., **114** 320
Duivenvoorden, H.J., see Peters, J.W.B., **114** 444

Eccleston, C., see Keogh, E., **114** 37
Edwards, R.R., Sarlani, E., Wesselmann, U., Fillingim, R.B., Quantitative assessment of experimental pain perception: multiple domains of clinical relevance, **114** 315
Egerton, J., see Chessell, I.P., **114** 386
El-Kouhen, O., see Zhu, C.Z., **114** 195
Ekong, J., see Asmundson, G.J.G., **114** 250
Erdmann, C., see Mohr, C., **114** 347

doi:10.1016/S0304-3959(05)00094-1

Ernst, E., see Lee, H., **114** 511
Eschalier, A., see Bonnefont, J., **114** 482

Fermanian, J., see Bouhassira, D., **114** 29
Fillingim, R.B., see Edwards, R.R., **114** 315
Finniss, D.G., Benedetti, F., Mechanisms of the placebo response and their impact on clinical trials and clinical practice, **114** 3
Fiset, L.O., see Ramsay, D.S., **114** 19
Förderreuther, S., Krause, P., Straube, A., Response to Letter regarding "Impaired self-perception of the hand in complex regional pain syndrome", **114** 519
Forster, C., see Maihöfner, C., **114** 93
France, C.R., see French, D.J., **114** 358
France, J.L., see French, D.J., **114** 358
Franzen, R., see Multon, S., **114** 257
French, D.J., France, C.R., France, J.L., Arnott, L.F., The influence of acute anxiety on assessment of nociceptive flexion reflex thresholds in healthy young adults, **114** 358

Gan, Q., see Wang, Z.-B., **114** 266
García-Larrea, L., see Legrain, V., **114** 524
Gaudet, A.D., see McGraw, J., **114** 7
Gebhart, G.F., see Buhler, A.V., **114** 285
Geiss, A., Rohleder, N., Kirschbaum, C., Steinbach, K., Bauer, H.W., Anton, F., Predicting the failure of disc surgery by a hypofunctional HPA axis: evidence from a prospective study on patients undergoing disc surgery, **114** 104
Gerner, P., see Zhuang, Z.-Y., **114** 149
Giamberardino, M.A., Affaitati, G., Lerza, R., Lapenna, D., Costantini, R., Vecchiet, L., Relationship between pain symptoms and referred sensory and trophic changes in patients with gallbladder pathology, **114** 239
Gijsen, A., see Houben, R.M.A., **114** 491
Ginies, P., see Bouhassira, D., **114** 29
Girdler, S.S., Maixner, W., Naftel, H.A., Stewart, P.W., Moretz, R.L., Light, K.C., Cigarette smoking, stress-induced analgesia and pain perception in men and women, **114** 372
Goffaux, P., see Julien, N., **114** 295
Gottshall, S.L., see Pomonis, J.D., **114** 339
Grahames, C.B.A., see Chessell, I.P., **114** 386
Granados-Soto, V., Arguelles, C.F., Álvarez-Leefmans, F.J., Peripheral and central antinociceptive action of $Na^+$–$K^+$–$2Cl^-$ cotransporter blockers on formalin-induced nociception in rats, **114** 231
Graven-Nielsen, T., see Slater, H., **114** 118
Green, P., see Chessell, I.P., **114** 386
Grun-Overdyking, A., see Bouhassira, D., **114** 29

Hadler, N.M., see Chibnall, J.T., **114** 462
Handwerker, H.O., see Maihöfner, C., **114** 93
Hansen, H.J., see Svendsen, K.B., **114** 473
Harada, N., see Multon, S., **114** 257
Hargraves, W.A., Hentall, I.D., Analgesic effects of dietary caloric restriction in adult mice, **114** 455
Hatcher, J.P., see Chessell, I.P., **114** 386
Hatsiopoulou, O., see Lang, E.V., **114** 303
Helmchen, C., see Mohr, C., **114** 347
Hendriks, E.J.M., Scholten-Peeters, G.G.M., van der Windt, D.A.W.M., Neeleman-van der Steen, C.W.M., Oostendorp, R.A.B., Verhagen, A.P., Prognostic factors for poor recovery in acute whiplash patients, **114** 408
Hentall, I.D., see Hargraves, W.A., **114** 455
Hermsen, M., see Usichenko, T.I., **114** 320
Hirata, H., see Okamoto, K., **114** 203
Hoheisel, U., Unger, T., Mense, S., Excitatory and modulatory effects of inflammatory cytokines and neurotrophins on mechanosensitive group IV muscle afferents in the rat, **114** 168
Hollingsworth, P.R., see Zhu, C.Z., **114** 195
Holtman, J.R., Wala, E.P., Characterization of morphine-induced hyperalgesia in male and female rats, **114** 62
Honda, S.-I., see Multon, S., **114** 257
Honore, P., see Zhu, C.Z., **114** 195
Hoogendoorn, W.E., see van den Heuvel, S.G., **114** 47
Houben, R.M.A., Gijsen, A., Peterson, J., de Jong, P.J., Vlaeyen, J.W.S., Do health care providers' attitudes towards back pain predict their treatment recommendations? Differential predictive validity of implicit and explicit attitude measures, **114** 491
Hsieh, G., see Zhu, C.Z., **114** 195
Hsu, K.-S., see Liang, Y.-C., **114** 417
Hua, M.T., see Multon, S., **114** 257
Huang, C.-C., see Liang, Y.-C., **114** 417
Hughes, J.P., see Chessell, I.P., **114** 386

Iannetti, G.D., see Zambreanu, L., **114** 397

Jafari-Schluep, H., see Bouhassira, D., **114** 29
Jagodic, M.M., see Pathirathna, S., **114** 429
Jakkula, E., see Noponen-Hietala, N., **114** 186
Jensen, T.S., see Svendsen, K.B., **114** 473
Jevtovic-Todorovic, V., see Pathirathna, S., **114** 429
Ji, R.-R., see Zhuang, Z.-Y., **114** 149
Jiang, X., see Pathirathna, S., **114** 429
Julien, N., Goffaux, P., Arsenault, P., Marchand, S., Widespread pain in fibromyalgia is related to a deficit of endogenous pain inhibition, **114** 295
Jull, G., see Sterling, M., **114** 141

Kaptchuk, T.J., see Lang, E.V., **114** 303
Karppinen, J., see Noponen-Hietala, N., **114** 186
Karttunen, R., see Noponen-Hietala, N., **114** 186
Kenardy, J., see Sterling, M., **114** 141
Keogh, E., McCracken, L.M., Eccleston, C., Do men and women differ in their response to interdisciplinary chronic pain management?, **114** 37
Kern, D., see Bouhassira, D., **114** 160
Kettenmann, E., see Lang, E.V., **114** 303
Kirschbaum, C., see Geiss, A., **114** 104
Knapp, D.S., Comment on "Pain relief: a universal right" by Cousins, Brennan and Carr. PAIN Vol 112/1-2, pp. 1–4, **114** 519
Koch, T., see Lang, E.V., **114** 303
Kovács, K.J., see Taiwo, O.B., **114** 131
Krause, P., see Förderreuther, S., **114** 519
Krishnan, K., see Pathirathna, S., **114** 429

Laaksonen, M., see Saastamoinen, P., **114** 364
LaCroix-Fralish, M.L., Tawfik, V.L., DeLeo, J.A., The organizational and activational effects of sex hormones on tactile and thermal hypersensitivity following lumbar nerve root injury in male and female rats, **114** 71
Lahelma, E., see Saastamoinen, P., **114** 364
Lang, E.V., Hatsiopoulou, O., Koch, T., Berbaum, K., Lutgendorf, S., Kettenmann, E., Logan, H., Kaptchuk, T.J., Can words hurt? Patient provider interactions during invasive procedures, **114** 303
Lantéri-Minet, M., see Bouhassira, D., **114** 29
Lapenna, D., see Giamberardino, M.A., **114** 239
Larson, A.A., see Taiwo, O.B., **114** 131
Laurent, B., see Bouhassira, D., **114** 29
Lee, H., Ernst, E., Acupuncture analgesia during surgery: a systematic review, **114** 511
Legrain, V., Plaghki, L., García-Larrea, L., Cognitive modulation of pain-related brain responses. Comments on Seminowicz et al. (Pain 2004;112:48–58), **114** 524
Lehmann, Ch., see Usichenko, T.I., **114** 320
Leino-Arjas, P., see Saastamoinen, P., **114** 364
Leroux, B.G., see Ramsay, D.S., **114** 19
Lerza, R., see Giamberardino, M.A., **114** 239
Lewis, J., see McCabe, C.S., **114** 518
Li, H., see Noponen-Hietala, N., **114** 186

Liang, Y.-C., Huang, C.-C., Hsu, K.-S., Characterization of long-term potentiation of primary afferent transmission at trigeminal synapses of juvenile rats: essential role of subtype 5 metabotropic glutamate receptors, **114** 417
Light, K.C., see Girdler, S.S., **114** 372
Lim, G., Wang, S., Zeng, Q., Sung, B., Mao, J., Evidence for a long-term influence on morphie tolerance after previous morphine exposure: role of neuronal glucocorticoid receptors, **114** 81
Logan, H., see Lang, E.V., **114** 303
Lutgendorf, S., see Lang, E.V., **114** 303

Maihöfner, C., Forster, C., Birklein, F., Neundörfer, B., Handwerker, H.O., Brain processing during mechanical hyperalgesia in complex regional pain syndrome: a functional MRI study, **114** 93
Maixner, W., see Girdler, S.S., **114** 372
Mao, J., see Lim, G., **114** 81
Marchand, S., see Julien, N., **114** 295
Marchettini, P., The burning case of neuropathic pain wording, **114** 313
Mauderli, A.P., see Vierck, C.J., **114** 520
McCabe, C.S., Shenker, N., Lewis, J., Blake, D.R., Impaired self-perception of the hand in complex regional pain syndrome (CRPS) [S. Förderreuther, U. Sailer, A. Straube, Pain 2004; 110:756–761], **114** 518
McCracken, L.M., see Keogh, E., **114** 37
McGraw, J., Gaudet, A.D., Oschipok, L.W., Steeves, J.D., Poirier, F., Tetzlaff, W., Ramer, M.S., Altered primary afferent anatomy and reduced thermal sensitivity in mice lacking galectin-1, **114** 7
Mennerick, S., see Pathirathna, S., **114** 429
Mense, S., see Hoheisel, U., **114** 168
Merikivi, R., see Noponen-Hietala, N., **114** 186
Michel, A.D., see Chessell, I.P., **114** 386
Mick, G., see Bouhassira, D., **114** 29
Mikusa, J.P., see Zhu, C.Z., **114** 195
Mogil, J.S., Crager, S.E., Reply to Vierck et al. comment on Mogil and Crager (2004), **114** 523
Mohr, C., Binkofski, F., Erdmann, C., Büchel, C., Helmchen, C., The anterior cingulate cortex contains distinct areas dissociating external from self-administered painful stimulation: a parametric fMRI study, **114** 347
Moncada, A., Cendán, C.M., Baeyens, J.M., Del Pozo, E., Inhibitors of serine/threonine protein phosphatases antagonize the antinociception induced by agonists of $\alpha_2$ adrenoceptors and $GABA_B$ but not κ-opioid receptors in the tail flick test in mice, **114** 212
Morain, F., see Bouhassira, D., **114** 160
Moreland, R.B., see Zhu, C.Z., **114** 195
Moretz, R.L., see Girdler, S.S., **114** 372
Moseley, G.L., Is successful rehabilitation of complex regional pain syndrome due to sustained attention to the affected limb? A randomised clinical trial, **114** 54
Mosen, J., see Multon, S., **114** 257
Multon, S., Pardutz, A., Mosen, J., Hua, M.T., Defays, C., Honda, S.-I., Harada, N., Bohotin, C., Franzen, R., Schoenen, J., Lack of estrogen increases pain in the trigeminal formalin model: a behavioural and immunocytochemical study of transgenic ArKO mice, **114** 257
Murfin, M., see Chessell, I.P., **114** 386

Naftel, H.A., see Girdler, S.S., **114** 372
Neeleman-van der Steen, C.W.M., see Hendriks, E.J.M., **114** 408
Neundörfer, B., see Maihöfner, C., **114** 93
Noponen-Hietala, N., Virtanen, I., Karttunen, R., Schwenke, S., Jakkula, E., Li, H., Merikivi, R., Barral, S., Ott, J., Karppinen, J., Ala-Kokko, L., Genetic variations in *IL6* associate with intervertebral disc disease characterized by sciatica, **114** 186

Ohtori, S., see Shimoyama, M., **114** 221
Okamoto, K., Tashiro, A., Hirata, H., Bereiter, D.A., Differential modulation of TMJ neurons in superficial laminae of trigeminal subnucleus caudalis/upper cervical cord junction region of male and cycling female rats by morphine, **114** 203
Oostendorp, R.A.B., see Hendriks, E.J.M., **114** 408
Oschipok, L.W., see McGraw, J., **114** 7
Ostelo, R.W.J.G., Vlaeyen, J.W.S., van den Brandt, P.A., de Vet, H.C.W., Residual complaints following lumbar disc surgery: prognostic indicators of outcome, **114** 177
Ott, J., see Noponen-Hietala, N., **114** 186

Pardutz, A., see Multon, S., **114** 257
Pathirathna, S., Brimelow, B.C., Jagodic, M.M., Krishnan, K., Jiang, X., Zorumski, C.F., Mennerick, S., Covey, D.F., Todorovic, S.M., Jevtovic-Todorovic, V., New evidence that both T-type calcium channels and $GABA_A$ channels are responsible for the potent peripheral analgesic effects of 5α-reduced neuroactive steroids, **114** 429
Pavlovic, D., see Usichenko, T.I., **114** 320
Peck, W.L., see Chessell, I.P., **114** 386
Pelle-Lancien, E., see Bouhassira, D., **114** 160
Peters, J.W.B., Schouw, R., Anand, K.J.S., van Dijk, M., Duivenvoorden, H.J., Tibboel, D., Does neonatal surgery lead to increased pain sensitivity in later childhood?, **114** 444
Peterson, J., see Houben, R.M.A., **114** 491
Phillips, S., see Pomonis, J.D., **114** 339
Plaghki, L., see Legrain, V., **114** 524
Pogatzki-Zahn, E.M., see Zahn, P.K., **114** 499
Poirier, F., see McGraw, J., **114** 7
Pomonis, J.D., Boulet, J.M., Gottshall, S.L., Phillips, S., Sellers, R., Bunton, T., Walker, K., Development and pharmacological characterization of a rat model of osteoarthritis pain, **114** 339
Prall, C.W., see Ramsay, D.S., **114** 19
Prkachin, K.M., Effects of deliberate control on verbal and facial expressions of pain, **114** 328
Proudfit, H.K., see Buhler, A.V., **114** 285

Ramer, M.S., see McGraw, J., **114** 7
Ramsay, D.S., Leroux, B.G., Rothen, M., Prall, C.W., Fiset, L.O., Woods, S.C., Nitrous oxide analgesia in humans: acute and chronic tolerance, **114** 19
Richardson, J., see Chessell, I.P., **114** 386
Rohleder, N., see Geiss, A., **114** 104
Rothen, M., see Ramsay, D.S., **114** 19
Rouaud, J., see Bouhassira, D., **114** 160
Rupert, R.L., see Wang, Z.-B., **114** 266

Saastamoinen, P., Leino-Arjas, P., Laaksonen, M., Lahelma, E., Socio-economic differences in the prevalence of acute, chronic and disabling chronic pain among ageing employees, **114** 364
Sarlani, E., see Edwards, R.R., **114** 315
Schoenen, J., see Multon, S., **114** 257
Scholten-Peeters, G.G.M., see Hendriks, E.J.M., **114** 408
Schouw, R., see Peters, J.W.B., **114** 444
Schwenke, S., see Noponen-Hietala, N., **114** 186
Sellers, R., see Pomonis, J.D., **114** 339
Seminowicz, D.A., see Davis, K.D., **114** 526
Serrie, A., see Bouhassira, D., **114** 29
Shenker, N., see McCabe, C.S., **114** 518
Shimoyama, M., Tatsuoka, H., Ohtori, S., Tanaka, K., Shimoyama, N., Change of dorsal horn neurochemistry in a mouse model of neuropathic cancer pain, **114** 221
Shimoyama, N., see Shimoyama, M., **114** 221
Sjölund, B.H., Acupuncture or acupuncture?, **114** 311
Slater, H., Arendt-Nielsen, L., Wright, A., Graven-Nielsen, T., Sensory and motor effects of experimental muscle pain in patients with lateral epicondylalgia and controls with delayed onset muscle soreness, **114** 118
Song, X.-J., see Wang, Z.-B., **114** 266
Stanford, E.A., Chambers, C.T., Craig, K.D., A normative analysis of the development of pain-related vocabulary in children, **114** 278
Steeves, J.D., see McGraw, J., **114** 7

Steinbach, K., see Geiss, A., **114** 104
Sterling, M., Jull, G., Vicenzino, B., Kenardy, J., Darnell, R., Physical and psychological factors predict outcome following whiplash injury, **114** 141
Stewart, P.W., see Girdler, S.S., **114** 372
Straube, A., see Förderreuther, S., **114** 519
Sun, Y., see Taiwo, O.B., **114** 131
Sung, B., see Lim, G., **114** 81
Svendsen, K.B., Jensen, T.S., Hansen, H.J., Bach, F.W., Sensory function and quality of life in patients with multiple sclerosis and pain, **114** 473

Tait, R.C., see Chibnall, J.T., **114** 462
Taiwo, O.B., Kovács, K.J., Sun, Y., Larson, A.A., Unilateral spinal nerve ligation leads to an asymmetrical distribution of mast cells in the thalamus of female but not male mice, **114** 131
Tanaka, K., see Shimoyama, M., **114** 221
Tashiro, A., see Okamoto, K., **114** 203
Tatsuoka, H., see Shimoyama, M., **114** 221
Tawfik, V.L., see LaCroix-Fralish, M.L., **114** 71
Taylor, B.K., Insights into morphine-induced plasticity and spinal tolerance, **114** 1
Tetzlaff, W., see McGraw, J., **114** 7
Tibboel, D., see Peters, J.W.B., **114** 444
Todorovic, S.M., see Pathirathna, S., **114** 429
Tracey, I., see Zambreanu, L., **114** 397

Unger, T., see Hoheisel, U., **114** 168
Usichenko, T.I., Dinse, M., Hermsen, M., Witstruck, T., Pavlovic, D., Lehmann, Ch., Auricular acupuncture for pain relief after total hip arthroplasty – a randomized controlled study, **114** 320

Valade, D., see Bouhassira, D., **114** 29
van den Brandt, P.A., see Ostelo, R.W.J.G., **114** 177
van den Heuvel, S.G., van der Beek, A.J., Blatter, B.M., Hoogendoorn, W.E., Bongers, P.M., Psychosocial work characteristics in relation to neck and upper limb symptoms, **114** 47
van der Beek, A.J., see van den Heuvel, S.G., **114** 47
van der Windt, D.A.W.M., see Hendriks, E.J.M., **114** 408
van Dijk, M., see Peters, J.W.B., **114** 444
Vecchiet, L., see Giamberardino, M.A., **114** 239
Verhagen, A.P., see Hendriks, E.J.M., **114** 408
Vicaut, E., see Bouhassira, D., **114** 29
Vicenzino, B., see Sterling, M., **114** 141
Vierck, C.J., Mauderli, A.P., Wiley, R.G., Assessment of pain in laboratory animals: a comment on Mogil and Crager (2004), **114** 520
Virtanen, I., see Noponen-Hietala, N., **114** 186
Vlaeyen, J.W.S., see Houben, R.M.A., **114** 491
Vlaeyen, J.W.S., see Ostelo, R.W.J.G., **114** 177

Wala, E.P., see Holtman Jr, J.R., **114** 62
Walker, K., see Pomonis, J.D., **114** 339
Wang, S., see Lim, G., **114** 81
Wang, Z.-B., Gan, Q., Rupert, R.L., Zeng, Y.-M., Song, X.-J., Thiamine, pyridoxine, cyanocobalamin and their combination inhibit thermal, but not mechanical hyperalgesia in rats with primary sensory neuron injury, **114** 266
Wesselmann, U., see Edwards, R.R., **114** 315
Wiley, R.G., see Vierck, C.J., **114** 520
Wilson, S.G., see Zhu, C.Z., **114** 195
Wise, R.G., see Zambreanu, L., **114** 397
Witstruck, T., see Usichenko, T.I., **114** 320
Woods, S.C., see Ramsay, D.S., **114** 19
Woolf, C.J., see Zhuang, Z.-Y., **114** 149
Wright, A., see Slater, H., **114** 118

Yiangou, Y., see Chessell, I.P., **114** 386

Zahn, P.K., Pogatzki-Zahn, E.M., Brennan, T.J., Spinal administration of MK-801 and NBQX demonstrates NMDA-independent dorsal horn sensitization in incisional pain, **114** 499
Zambreanu, L., Wise, R.G., Brooks, J.C.W., Iannetti, G.D., Tracey, I., A role for the brainstem in central sensitisation in humans. Evidence from functional magnetic resonance imaging, **114** 397
Zeng, Q., see Lim, G., **114** 81
Zeng, Y.-M., see Wang, Z.-B., **114** 266
Zhu, C.Z., Hsieh, G., El-Kouhen, O., Wilson, S.G., Mikusa, J.P., Hollingsworth, P.R., Chang, R., Moreland, R.B., Brioni, J., Decker, M.W., Honore, P., Role of central and peripheral mGluR5 receptors in postoperative pain in rats, **114** 195
Zhuang, Z.-Y., Gerner, P., Woolf, C.J., Ji, R.-R., ERK is sequentially activated in neurons, microglia, and astrocytes by spinal nerve ligation and contributes to mechanical allodynia in this neuropathic pain model, **114** 149
Zorumski, C.F., see Pathirathna, S., **114** 429

PAIN

Pain 114 (2005) 532–539

www.elsevier.com/locate/pain

# Subject Index to Volume 114 (2005)

Acupuncture
Acupuncture analgesia during surgery: a systematic review, **114**, 511
Acupuncture
Auricular acupuncture for pain relief after total hip arthroplasty – a randomized controlled study, **114**, 320
Acute pain
Socio-economic differences in the prevalence of acute, chronic and disabling chronic pain among ageing employees, **114**, 364
Adult rats
New evidence that both T-type calcium channels and $GABA_A$ channels are responsible for the potent peripheral analgesic effects of 5α-reduced neuroactive steroids, **114**, 429
Aging
Analgesic effects of dietary caloric restriction in adult mice, **114**, 455
Allodynia
Investigation of the paradoxical painful sensation ('illusion of pain') produced by a thermal grill, **114**, 160
Allodynia
Unilateral spinal nerve ligation leads to an asymmetrical distribution of mast cells in the thalamus of female but not male mice, **114**, 131
Analgesia
Does neonatal surgery lead to increased pain sensitivity in later childhood?, **114**, 444
Anterior cingulate cortex
The anterior cingulate cortex contains distinct areas dissociating external from self-administered painful stimulation: a parametric fMRI study, **114**, 347
Antinociception
Inhibitors of serine/threonine protein phosphatases antagonize the antinociception induced by agonists of $\alpha_2$ adrenoceptors and $GABA_B$ but not κ-opioid receptors in the tail flick test in mice, **114**, 212
Anxiety
Can words hurt? Patient–provider interactions during invasive procedures, **114**, 303
Anxiety
The influence of acute anxiety on assessment of nociceptive flexion reflex thresholds in healthy young adults, **114**, 358
Anxiety sensitivity
Dot-probe evaluation of selective attentional processing of pain cues in patients with chronic headaches, **114**, 250
Aromatase
Lack of estrogen increases pain in the trigeminal formalin model: a behavioural and immunocytochemical study of transgenic ArKO mice, **114**, 257
Arthritis
Development and pharmacological characterization of a rat model of osteoarthritis pain, **114**, 339
Assessment
A normative analysis of the development of pain-related vocabulary in children, **114**, 278
Assessment
The influence of acute anxiety on assessment of nociceptive flexion reflex thresholds in healthy young adults, **114**, 358
Astrocytes
ERK is sequentially activated in neurons, microglia, and astrocytes by spinal nerve ligation and contributes to mechanical allodynia in this neuropathic pain model, **114**, 149
Attitudes
Do health care providers' attitudes towards back pain predict their treatment recommendations? Differential predictive validity of implicit and explicit attitude measures, **114**, 491
B vitamins
Thiamine, pyridoxine, cyanocobalamin and their combination inhibit thermal, but not mechanical hyperalgesia in rats with primary sensory neuron injury, **114**, 266
Back injuries
Race and socioeconomic differences in post-settlement outcomes for African American and Caucasian Workers' Compensation claimants with low back injuries, **114**, 462
Best evidence synthesis
Acupuncture analgesia during surgery: a systematic review, **114**, 511
Biliary colic
Relationship between pain symptoms and referred sensory and trophic changes in patients with gallbladder pathology, **114**, 239
Biobehavioural pain response
Does neonatal surgery lead to increased pain sensitivity in later childhood?, **114**, 444
Brainstem
A role for the brainstem in central sensitisation in humans. Evidence from functional magnetic resonance imaging, **114**, 397
Bumetanide
Peripheral and central antinociceptive action of $Na^+$–$K^+$–$2Cl^-$ cotransporter blockers on formalin-induced nociception in rats, **114**, 231
Calcitonin gene-related peptide
Change of dorsal horn neurochemistry in a mouse model of neuropathic cancer pain, **114**, 221
Calculosis
Relationship between pain symptoms and referred sensory and trophic changes in patients with gallbladder pathology, **114**, 239
cAMP
Evidence for a long-term influence on morphie tolerance after previous morphine exposure: role of neuronal glucocorticoid receptors, **114**, 81
Cantharidin
Inhibitors of serine/threonine protein phosphatases antagonize the antinociception induced by agonists of $\alpha_2$ adrenoceptors and $GABA_B$ but not κ-opioid receptors in the tail flick test in mice, **114**, 212
Capsaicin
A role for the brainstem in central sensitisation in humans. Evidence from functional magnetic resonance imaging, **114**, 397
Central mechanism
Brain processing during mechanical hyperalgesia in complex regional pain syndrome: a functional MRI study, **114**, 93
Central pain
Sensory function and quality of life in patients with multiple sclerosis and pain, **114**, 473

doi:10.1016/S0304-3959(05)00095-3

Central sensitisation
A role for the brainstem in central sensitisation in humans. Evidence from functional magnetic resonance imaging, **114**, 397
Central sensitisation
Sensory and motor effects of experimental muscle pain in patients with lateral epicondylalgia and controls with delayed onset muscle soreness, **114**, 118
c-fiber
Altered primary afferent anatomy and reduced thermal sensitivity in mice lacking galectin-1, **114**, 7
c-Fos
Change of dorsal horn neurochemistry in a mouse model of neuropathic cancer pain, **114**, 221
CGRP
Altered primary afferent anatomy and reduced thermal sensitivity in mice lacking galectin-1, **114**, 7
CGRP
Lack of estrogen increases pain in the trigeminal formalin model: a behavioural and immunocytochemical study of transgenic ArKO mice, **114**, 257
Children
A normative analysis of the development of pain-related vocabulary in children, **114**, 278
Chronic pain
Dot-probe evaluation of selective attentional processing of pain cues in patients with chronic headaches, **114**, 250
Chronic pain
Is successful rehabilitation of complex regional pain syndrome due to sustained attention to the affected limb? A randomised clinical trial, **114**, 54
Chronic pain
Socio-economic differences in the prevalence of acute, chronic and disabling chronic pain among ageing employees, **114**, 364
Chronic stress
Predicting the failure of disc surgery by a hypofunctional HPA axis: evidence from a prospective study on patients undergoing disc surgery, **114**, 104
Clinical assessment
Comparison of pain syndromes associated with nervous or somatic lesions and development of a new neuropathic pain diagnostic questionnaire (DN4), **114**, 29
Communication
Can words hurt? Patient–provider interactions during invasive procedures, **114**, 303
Complex regional pain syndrome
Brain processing during mechanical hyperalgesia in complex regional pain syndrome: a functional MRI study, **114**, 93
Coping
Psychosocial work characteristics in relation to neck and upper limb symptoms, **114**, 47
Cortical reorganisation
Is successful rehabilitation of complex regional pain syndrome due to sustained attention to the affected limb? A randomised clinical trial, **114**, 54
COX-2
Development and pharmacological characterization of a rat model of osteoarthritis pain, **114**, 339
Cytokines
Excitatory and modulatory effects of inflammatory cytokines and neurotrophins on mechanosensitive group IV muscle afferents in the rat, **114**, 168
Deception
Effects of deliberate control on verbal and facial expressions of pain, **114**, 328
Delayed onset muscle soreness (DOMS)
Sensory and motor effects of experimental muscle pain in patients with lateral epicondylalgia and controls with delayed onset muscle soreness, **114**, 118
Development
A normative analysis of the development of pain-related vocabulary in children, **114**, 278
Diagnostic tools
Comparison of pain syndromes associated with nervous or somatic lesions and development of a new neuropathic pain diagnostic questionnaire (DN4), **114**, 29
Diet
Analgesic effects of dietary caloric restriction in adult mice, **114**, 455
Dimorphic
Unilateral spinal nerve ligation leads to an asymmetrical distribution of mast cells in the thalamus of female but not male mice, **114**, 131
Disability evaluation
Race and socioeconomic differences in post-settlement outcomes for African American and Caucasian Workers' Compensation claimants with low back injuries, **114**, 462
Disability
Prognostic factors for poor recovery in acute whiplash patients, **114**, 408
Disability
Socio-economic differences in the prevalence of acute, chronic and disabling chronic pain among ageing employees, **114**, 364
Disc disease
Genetic variations in *IL6* associate with intervertebral disc disease characterized by sciatica, **114**, 186
Dorsal horn
Change of dorsal horn neurochemistry in a mouse model of neuropathic cancer pain, **114**, 221
Dorsal horn
Neurotensin activation of the NTR1 on spinally-projecting serotonergic neurons in the rostral ventromedial medulla is antinociceptive, **114**, 285
Dorsal root ganglia
New evidence that both T-type calcium channels and $GABA_A$ channels are responsible for the potent peripheral analgesic effects of 5α-reduced neuroactive steroids, **114**, 429
Dorsal root ganglion
Thiamine, pyridoxine, cyanocobalamin and their combination inhibit thermal, but not mechanical hyperalgesia in rats with primary sensory neuron injury, **114**, 266
Dot-probe task
Dot-probe evaluation of selective attentional processing of pain cues in patients with chronic headaches, **114**, 250
DRG
Altered primary afferent anatomy and reduced thermal sensitivity in mice lacking galectin-1, **114**, 7
Dynorphin A
Change of dorsal horn neurochemistry in a mouse model of neuropathic cancer pain, **114**, 221
Electrical tooth stimulation
Nitrous oxide analgesia in humans: acute and chronic tolerance, **114**, 19
Employees
Socio-economic differences in the prevalence of acute, chronic and disabling chronic pain among ageing employees, **114**, 364
Employment
Race and socioeconomic differences in post-settlement outcomes for African American and Caucasian Workers' Compensation claimants with low back injuries, **114**, 462
Endogenous pain inhibition
Widespread pain in fibromyalgia is related to a deficit of endogenous pain inhibition, **114**, 295

ERK
ERK is sequentially activated in neurons, microglia, and astrocytes by spinal nerve ligation and contributes to mechanical allodynia in this neuropathic pain model, **114**, 149

Estrogen
Lack of estrogen increases pain in the trigeminal formalin model: a behavioural and immunocytochemical study of transgenic ArKO mice, **114**, 257

Estrogen
Unilateral spinal nerve ligation leads to an asymmetrical distribution of mast cells in the thalamus of female but not male mice, **114**, 131

Expectation
The anterior cingulate cortex contains distinct areas dissociating external from self-administered painful stimulation: a parametric fMRI study, **114**, 347

Experimental muscle pain
Sensory and motor effects of experimental muscle pain in patients with lateral epicondylalgia and controls with delayed onset muscle soreness, **114**, 118

Experimental pain
Quantitative assessment of experimental pain perception: multiple domains of clinical relevance, **114**, 315

Facial Action Coding System
Effects of deliberate control on verbal and facial expressions of pain, **114**, 328

Facial expression
Effects of deliberate control on verbal and facial expressions of pain, **114**, 328

Facial feedback hypothesis
Effects of deliberate control on verbal and facial expressions of pain, **114**, 328

Fear of pain
Dot-probe evaluation of selective attentional processing of pain cues in patients with chronic headaches, **114**, 250

Fibromyalgia
Widespread pain in fibromyalgia is related to a deficit of endogenous pain inhibition, **114**, 295

fMRI
A role for the brainstem in central sensitisation in humans. Evidence from functional magnetic resonance imaging, **114**, 397

fMRI
Brain processing during mechanical hyperalgesia in complex regional pain syndrome: a functional MRI study, **114**, 93

fMRI
The anterior cingulate cortex contains distinct areas dissociating external from self-administered painful stimulation: a parametric fMRI study, **114**, 347

Formalin test
Analgesic effects of dietary caloric restriction in adult mice, **114**, 455

Fos
Altered primary afferent anatomy and reduced thermal sensitivity in mice lacking galectin-1, **114**, 7

Functional imaging
Brain processing during mechanical hyperalgesia in complex regional pain syndrome: a functional MRI study, **114**, 93

Furosemide
Peripheral and central antinociceptive action of $Na^+$–$K^+$–$2Cl^-$ cotransporter blockers on formalin-induced nociception in rats, **114**, 231

G protein-coupled receptors
Inhibitors of serine/threonine protein phosphatases antagonize the antinociception induced by agonists of $\alpha_2$ adrenoceptors and $GABA_B$ but not κ-opioid receptors in the tail flick test in mice, **114**, 212

Gallbladder
Relationship between pain symptoms and referred sensory and trophic changes in patients with gallbladder pathology, **114**, 239

Gender
Cigarette smoking, stress-induced analgesia and pain perception in men and women, **114**, 372

Gender differences
Do men and women differ in their response to interdisciplinary chronic pain management?, **114**, 37

Glucocorticoid receptor
Evidence for a long-term influence on morphie tolerance after previous morphine exposure: role of neuronal glucocorticoid receptors, **114**, 81

Glutamate
Characterization of long-term potentiation of primary afferent transmission at trigeminal synapses of juvenile rats: essential role of subtype 5 metabotropic glutamate receptors, **114**, 417

Group IV afferent units
Excitatory and modulatory effects of inflammatory cytokines and neurotrophins on mechanosensitive group IV muscle afferents in the rat, **114**, 168

Headache
Dot-probe evaluation of selective attentional processing of pain cues in patients with chronic headaches, **114**, 250

Health care provider
Do health care providers' attitudes towards back pain predict their treatment recommendations? Differential predictive validity of implicit and explicit attitude measures, **114**, 491

Health services research
Race and socioeconomic differences in post-settlement outcomes for African American and Caucasian Workers' Compensation claimants with low back injuries, **114**, 462

Healthcare disparities
Race and socioeconomic differences in post-settlement outcomes for African American and Caucasian Workers' Compensation claimants with low back injuries, **114**, 462

5-HT
Spinal $5\text{-HT}_{1A}$ receptors differentially influence nociceptive processing according to the nature of the noxious stimulus in rats: effect of WAY-100635 on the antinociceptive activities of paracetamol, venlafaxine and 5-HT, **114**, 482

$5\text{-HT}_{1A}$ receptor
Spinal $5\text{-HT}_{1A}$ receptors differentially influence nociceptive processing according to the nature of the noxious stimulus in rats: effect of WAY-100635 on the antinociceptive activities of paracetamol, venlafaxine and 5-HT, **114**, 482

Hyperalgesia
A role for the brainstem in central sensitisation in humans. Evidence from functional magnetic resonance imaging, **114**, 397

Hyperalgesia
Brain processing during mechanical hyperalgesia in complex regional pain syndrome: a functional MRI study, **114**, 93

Hyperalgesia
Characterization of morphine-induced hyperalgesia in male and female rats, **114**, 62

Hyperalgesia
Sensory and motor effects of experimental muscle pain in patients with lateral epicondylalgia and controls with delayed onset muscle soreness, **114**, 118

Hyperalgesia
Unilateral spinal nerve ligation leads to an asymmetrical distribution of mast cells in the thalamus of female but not male mice, **114**, 131

Hypothalamus–pituitary–adrenal axis
Predicting the failure of disc surgery by a hypofunctional HPA axis: evidence from a prospective study on patients undergoing disc surgery, **114**, 104

IB4
Altered primary afferent anatomy and reduced thermal sensitivity in mice lacking galectin-1, **114**, 7

Immunohistochemistry
Neurotensin activation of the NTR1 on spinally-projecting serotonergic neurons in the rostral ventromedial medulla is antinociceptive, **114**, 285
Implicit measures
Do health care providers' attitudes towards back pain predict their treatment recommendations? Differential predictive validity of implicit and explicit attitude measures, **114**, 491
Inception cohort
Prognostic factors for poor recovery in acute whiplash patients, **114**, 408
Incision
Spinal administration of MK-801 and NBQX demonstrates NMDA-independent dorsal horn sensitization in incisional pain, **114**, 499
Individual differences
Nitrous oxide analgesia in humans: acute and chronic tolerance, **114**, 19
Inflammation
Genetic variations in *IL6* associate with intervertebral disc disease characterized by sciatica, **114**, 186
Interleukin
Genetic variations in *IL6* associate with intervertebral disc disease characterized by sciatica, **114**, 186
Interleukin 1 beta
Disruption of the $P2X_7$ purinoceptor gene abolishes chronic inflammatory and neuropathic pain, **114**, 386
Invasive medical procedures
Can words hurt? Patient–provider interactions during invasive procedures, **114**, 303
Iodoacetate
Development and pharmacological characterization of a rat model of osteoarthritis pain, **114**, 339
L-14
Altered primary afferent anatomy and reduced thermal sensitivity in mice lacking galectin-1, **114**, 7
Lateral epicondylalgia
Sensory and motor effects of experimental muscle pain in patients with lateral epicondylalgia and controls with delayed onset muscle soreness, **114**, 118
Localized glucocorticoid resistance
Predicting the failure of disc surgery by a hypofunctional HPA axis: evidence from a prospective study on patients undergoing disc surgery, **114**, 104
Low back pain
Residual complaints following lumbar disc surgery: prognostic indicators of outcome, **114**, 177
Low back pain
Widespread pain in fibromyalgia is related to a deficit of endogenous pain inhibition, **114**, 295
Low back pain animal model
The organizational and activational effects of sex hormones on tactile and thermal hypersensitivity following lumbar nerve root injury in male and female rats, **114**, 71
LTP
Characterization of long-term potentiation of primary afferent transmission at trigeminal synapses of juvenile rats: essential role of subtype 5 metabotropic glutamate receptors, **114**, 417
Lumbar disc surgery
Residual complaints following lumbar disc surgery: prognostic indicators of outcome, **114**, 177
Management
Do men and women differ in their response to interdisciplinary chronic pain management?, **114**, 37
MAPK
ERK is sequentially activated in neurons, microglia, and astrocytes by spinal nerve ligation and contributes to mechanical allodynia in this neuropathic pain model, **114**, 149
Mast cells
Unilateral spinal nerve ligation leads to an asymmetrical distribution of mast cells in the thalamus of female but not male mice, **114**, 131
Measurement
A normative analysis of the development of pain-related vocabulary in children, **114**, 278
Medullary dorsal horn
Differential modulation of TMJ neurons in superficial laminae of trigeminal subnucleus caudalis/upper cervical cord junction region of male and cycling female rats by morphine, **114**, 203
Metabotropic glutamate receptor
Characterization of long-term potentiation of primary afferent transmission at trigeminal synapses of juvenile rats: essential role of subtype 5 metabotropic glutamate receptors, **114**, 417
Microglia
ERK is sequentially activated in neurons, microglia, and astrocytes by spinal nerve ligation and contributes to mechanical allodynia in this neuropathic pain model, **114**, 149
Morphine
Evidence for a long-term influence on morphie tolerance after previous morphine exposure: role of neuronal glucocorticoid receptors, **114**, 81
Motor cortex
Is successful rehabilitation of complex regional pain syndrome due to sustained attention to the affected limb? A randomised clinical trial, **114**, 54
MPEP
Role of central and peripheral mGluR5 receptors in post-operative pain in rats, **114**, 195
Multiple sclerosis
Sensory function and quality of life in patients with multiple sclerosis and pain, **114**, 473
Muscle
Relationship between pain symptoms and referred sensory and trophic changes in patients with gallbladder pathology, **114**, 239
Musculoskeletal pain
Psychosocial work characteristics in relation to neck and upper limb symptoms, **114**, 47
NDI scores
Physical and psychological factors predict outcome following whiplash injury, **114**, 141
Neck pain
Prognostic factors for poor recovery in acute whiplash patients, **114**, 408
Neural circuitry
Spinal $5\text{-}HT_{1A}$ receptors differentially influence nociceptive processing according to the nature of the noxious stimulus in rats: effect of WAY-100635 on the antinociceptive activities of paracetamol, venlafaxine and 5-HT, **114**, 482
Neuropathic
Disruption of the $P2X_7$ purinoceptor gene abolishes chronic inflammatory and neuropathic pain, **114**, 386
Neuropathic pain
Brain processing during mechanical hyperalgesia in complex regional pain syndrome: a functional MRI study, **114**, 93
Neuropathic pain
Change of dorsal horn neurochemistry in a mouse model of neuropathic cancer pain, **114**, 221
Neuropathic pain
Comparison of pain syndromes associated with nervous or somatic lesions and development of a new neuropathic pain diagnostic questionnaire (DN4), **114**, 29
Neuropathic pain
ERK is sequentially activated in neurons, microglia, and astrocytes by spinal nerve ligation and contributes to mechanical allodynia in this neuropathic pain model, **114**, 149

Neuropathic pain
Thiamine, pyridoxine, cyanocobalamin and their combination inhibit thermal, but not mechanical hyperalgesia in rats with primary sensory neuron injury, **114**, 266
Neuropathy
Analgesic effects of dietary caloric restriction in adult mice, **114**, 455
Neuropathy
Thiamine, pyridoxine, cyanocobalamin and their combination inhibit thermal, but not mechanical hyperalgesia in rats with primary sensory neuron injury, **114**, 266
Neurotensin
Neurotensin activation of the NTR1 on spinally-projecting serotonergic neurons in the rostral ventromedial medulla is antinociceptive, **114**, 285
Neurotrophins
Excitatory and modulatory effects of inflammatory cytokines and neurotrophins on mechanosensitive group IV muscle afferents in the rat, **114**, 168
Newborn infant
Does neonatal surgery lead to increased pain sensitivity in later childhood?, **114**, 444
NKCC
Peripheral and central antinociceptive action of $Na^+$–$K^+$–$2Cl^-$ cotransporter blockers on formalin-induced nociception in rats, **114**, 231
NMDA
Spinal administration of MK-801 and NBQX demonstrates NMDA-independent dorsal horn sensitization in incisional pain, **114**, 499
NMDA receptor
Characterization of morphine-induced hyperalgesia in male and female rats, **114**, 62
Nocebo
Can words hurt? Patient–provider interactions during invasive procedures, **114**, 303
Nociception
Analgesic effects of dietary caloric restriction in adult mice, **114**, 455
Nociception
Excitatory and modulatory effects of inflammatory cytokines and neurotrophins on mechanosensitive group IV muscle afferents in the rat, **114**, 168
Nociception
Neurotensin activation of the NTR1 on spinally-projecting serotonergic neurons in the rostral ventromedial medulla is antinociceptive, **114**, 285
Nociception
Peripheral and central antinociceptive action of $Na^+$–$K^+$–$2Cl^-$ cotransporter blockers on formalin-induced nociception in rats, **114**, 231
Nociceptive flexion reflex
The influence of acute anxiety on assessment of nociceptive flexion reflex thresholds in healthy young adults, **114**, 358
Nucleus raphe magnus
Neurotensin activation of the NTR1 on spinally-projecting serotonergic neurons in the rostral ventromedial medulla is antinociceptive, **114**, 285
Non-evoked post-operative pain
Role of central and peripheral mGluR5 receptors in post-operative pain in rats, **114**, 195
Non-verbal leakage
Effects of deliberate control on verbal and facial expressions of pain, **114**, 328
Okadaic acid
Inhibitors of serine/threonine protein phosphatases antagonize the antinociception induced by agonists of $\alpha_2$ adrenoceptors and $GABA_B$ but not κ-opioid receptors in the tail flick test in mice, **114**, 212
Opioid
Characterization of morphine-induced hyperalgesia in male and female rats, **114**, 62
Opioid analgesia
Differential modulation of TMJ neurons in superficial laminae of trigeminal subnucleus caudalis/upper cervical cord junction region of male and cycling female rats by morphine, **114**, 203
Opioid tolerance
Evidence for a long-term influence on morphie tolerance after previous morphine exposure: role of neuronal glucocorticoid receptors, **114**, 81
$P2X_7$
Disruption of the $P2X_7$ purinoceptor gene abolishes chronic inflammatory and neuropathic pain, **114**, 386
Pain
A normative analysis of the development of pain-related vocabulary in children, **114**, 278
Pain
Acupuncture analgesia during surgery: a systematic review, **114**, 511
Pain
Can words hurt? Patient–provider interactions during invasive procedures, **114**, 303
Pain
Characterization of long-term potentiation of primary afferent transmission at trigeminal synapses of juvenile rats: essential role of subtype 5 metabotropic glutamate receptors, **114**, 417
Pain
Do men and women differ in their response to interdisciplinary chronic pain management?, **114**, 37
Pain
Investigation of the paradoxical painful sensation ('illusion of pain') produced by a thermal grill, **114**, 160
Pain
Nitrous oxide analgesia in humans: acute and chronic tolerance, **114**, 19
Pain
The anterior cingulate cortex contains distinct areas dissociating external from self-administered painful stimulation: a parametric fMRI study, **114**, 347
Pain expression
Effects of deliberate control on verbal and facial expressions of pain, **114**, 328
Pain sensitivity
Cigarette smoking, stress-induced analgesia and pain perception in men and women, **114**, 372
Pain threshold
Nitrous oxide analgesia in humans: acute and chronic tolerance, **114**, 19
Pain thresholds
Relationship between pain symptoms and referred sensory and trophic changes in patients with gallbladder pathology, **114**, 239
Paracetamol
Spinal $5\text{-}HT_{1A}$ receptors differentially influence nociceptive processing according to the nature of the noxious stimulus in rats: effect of WAY-100635 on the antinociceptive activities of paracetamol, venlafaxine and 5-HT, **114**, 482
Pavlovian drug conditioning
Nitrous oxide analgesia in humans: acute and chronic tolerance, **114**, 19
Peripheral nociceptors
New evidence that both T-type calcium channels and $GABA_A$ channels are responsible for the potent peripheral analgesic effects of 5α-reduced neuroactive steroids, **114**, 429
Peripheral sensitisation
Sensory and motor effects of experimental muscle pain in patients with lateral epicondylalgia and controls with delayed onset muscle soreness, **114**, 118
Physical and psychological factors
Physical and psychological factors predict outcome following whiplash injury, **114**, 141
Physiotherapy
Is successful rehabilitation of complex regional pain syndrome due to sustained attention to the affected limb? A randomised clinical trial, **114**, 54

Piretanide
Peripheral and central antinociceptive action of $Na^+$–$K^+$–$2Cl^-$ cotransporter blockers on formalin-induced nociception in rats, **114**, 231
Placebo acupuncture
Acupuncture analgesia during surgery: a systematic review, **114**, 511
Prediction
Physical and psychological factors predict outcome following whiplash injury, **114**, 141
Prediction
The anterior cingulate cortex contains distinct areas dissociating external from self-administered painful stimulation: a parametric fMRI study, **114**, 347
Preemptive analgesia
Characterization of morphine-induced hyperalgesia in male and female rats, **114**, 62
Pre-motor cortex
Is successful rehabilitation of complex regional pain syndrome due to sustained attention to the affected limb? A randomised clinical trial, **114**, 54
Prognosis
Residual complaints following lumbar disc surgery: prognostic indicators of outcome, **114**, 177
Prognostic factors
Prognostic factors for poor recovery in acute whiplash patients, **114**, 408
Proinflammatory cytokines
Predicting the failure of disc surgery by a hypofunctional HPA axis: evidence from a prospective study on patients undergoing disc surgery, **114**, 104
Prospective study
Residual complaints following lumbar disc surgery: prognostic indicators of outcome, **114**, 177
Protein kinase A
Evidence for a long-term influence on morphie tolerance after previous morphine exposure: role of neuronal glucocorticoid receptors, **114**, 81
Psychometric validation
Comparison of pain syndromes associated with nervous or somatic lesions and development of a new neuropathic pain diagnostic questionnaire (DN4), **114**, 29
Psychophysics
Investigation of the paradoxical painful sensation ('illusion of pain') produced by a thermal grill, **114**, 160
Psychosocial factors
Psychosocial work characteristics in relation to neck and upper limb symptoms, **114**, 47
Purinoceptor
Disruption of the $P2X_7$ purinoceptor gene abolishes chronic inflammatory and neuropathic pain, **114**, 386
Quality of life
Sensory function and quality of life in patients with multiple sclerosis and pain, **114**, 473
Quantitative sensory testing
Quantitative assessment of experimental pain perception: multiple domains of clinical relevance, **114**, 315
Questionnaire
Comparison of pain syndromes associated with nervous or somatic lesions and development of a new neuropathic pain diagnostic questionnaire (DN4), **114**, 29
Race
Race and socioeconomic differences in post-settlement outcomes for African American and Caucasian Workers' Compensation claimants with low back injuries, **114**, 462
Radiographic analysis
Development and pharmacological characterization of a rat model of osteoarthritis pain, **114**, 339
Rebound
Nitrous oxide analgesia in humans: acute and chronic tolerance, **114**, 19
Recovery
Prognostic factors for poor recovery in acute whiplash patients, **114**, 408
Referred pain
Sensory and motor effects of experimental muscle pain in patients with lateral epicondylalgia and controls with delayed onset muscle soreness, **114**, 118
Reflex sympathetic dystrophy
Is successful rehabilitation of complex regional pain syndrome due to sustained attention to the affected limb? A randomised clinical trial, **114**, 54
Reliability
The influence of acute anxiety on assessment of nociceptive flexion reflex thresholds in healthy young adults, **114**, 358
Repetitive pain
Does neonatal surgery lead to increased pain sensitivity in later childhood?, **114**, 444
RU38486
Evidence for a long-term influence on morphie tolerance after previous morphine exposure: role of neuronal glucocorticoid receptors, **114**, 81
Sciatic pain
Predicting the failure of disc surgery by a hypofunctional HPA axis: evidence from a prospective study on patients undergoing disc surgery, **114**, 104
Sciatica
Genetic variations in *IL6* associate with intervertebral disc disease characterized by sciatica, **114**, 186
Sedation
Can words hurt? Patient–provider interactions during invasive procedures, **114**, 303
Selective attention
Dot-probe evaluation of selective attentional processing of pain cues in patients with chronic headaches, **114**, 250
Sensitization
Spinal administration of MK-801 and NBQX demonstrates NMDA-independent dorsal horn sensitization in incisional pain, **114**, 499
Sensory function
Sensory function and quality of life in patients with multiple sclerosis and pain, **114**, 473
Sensory systems
Investigation of the paradoxical painful sensation ('illusion of pain') produced by a thermal grill, **114**, 160
Serine/threonine protein phosphatases
Inhibitors of serine/threonine protein phosphatases antagonize the antinociception induced by agonists of $\alpha_2$ adrenoceptors and $GABA_B$ but not κ-opioid receptors in the tail flick test in mice, **114**, 212
Serotonin
Lack of estrogen increases pain in the trigeminal formalin model: a behavioural and immunocytochemical study of transgenic ArKO mice, **114**, 257
Serotonin
Neurotensin activation of the NTR1 on spinally-projecting serotonergic neurons in the rostral ventromedial medulla is antinociceptive, **114**, 285
Sex difference
The organizational and activational effects of sex hormones on tactile and thermal hypersensitivity following lumbar nerve root injury in male and female rats, **114**, 71
Sex differences
Differential modulation of TMJ neurons in superficial laminae of trigeminal subnucleus caudalis/upper cervical cord junction region of male and cycling female rats by morphine, **114**, 203
Sex differentiation
The organizational and activational effects of sex hormones on tactile and thermal hypersensitivity following lumbar nerve root injury in male and female rats, **114**, 71

Sex hormone
The organizational and activational effects of sex hormones on tactile and thermal hypersensitivity following lumbar nerve root injury in male and female rats, **114**, 71
Sexual dimorphism
Characterization of morphine-induced hyperalgesia in male and female rats, **114**, 62
SF-36
Sensory function and quality of life in patients with multiple sclerosis and pain, **114**, 473
Shape abnormality
Relationship between pain symptoms and referred sensory and trophic changes in patients with gallbladder pathology, **114**, 239
Skeletal muscle
Excitatory and modulatory effects of inflammatory cytokines and neurotrophins on mechanosensitive group IV muscle afferents in the rat, **114**, 168
Skin
Relationship between pain symptoms and referred sensory and trophic changes in patients with gallbladder pathology, **114**, 239
Skin incision
Role of central and peripheral mGluR5 receptors in post-operative pain in rats, **114**, 195
Smoking
Cigarette smoking, stress-induced analgesia and pain perception in men and women, **114**, 372
Socio-demographic factors
Socio-economic differences in the prevalence of acute, chronic and disabling chronic pain among ageing employees, **114**, 364
Socioeconomic factors
Race and socioeconomic differences in post-settlement outcomes for African American and Caucasian Workers' Compensation claimants with low back injuries, **114**, 462
Socio-economic factors
Socio-economic differences in the prevalence of acute, chronic and disabling chronic pain among ageing employees, **114**, 364
Spinal cord
ERK is sequentially activated in neurons, microglia, and astrocytes by spinal nerve ligation and contributes to mechanical allodynia in this neuropathic pain model, **114**, 149
Spontaneous pain
Change of dorsal horn neurochemistry in a mouse model of neuropathic cancer pain, **114**, 221
Stress-induced analgesia
Cigarette smoking, stress-induced analgesia and pain perception in men and women, **114**, 372
Subcutis
Relationship between pain symptoms and referred sensory and trophic changes in patients with gallbladder pathology, **114**, 239
Suprathreshold
Quantitative assessment of experimental pain perception: multiple domains of clinical relevance, **114**, 315
Surgery
Acupuncture analgesia during surgery: a systematic review, **114**, 511
Systematic review
Acupuncture analgesia during surgery: a systematic review, **114**, 511
Tail flick test
Inhibitors of serine/threonine protein phosphatases antagonize the antinociception induced by agonists of $\alpha_2$ adrenoceptors and $GABA_B$ but not κ-opioid receptors in the tail flick test in mice, **114**, 212
Taqman
Disruption of the $P2X_7$ purinoceptor gene abolishes chronic inflammatory and neuropathic pain, **114**, 386
T-channel blockers
New evidence that both T-type calcium channels and $GABA_A$ channels are responsible for the potent peripheral analgesic effects of 5α-reduced neuroactive steroids, **114**, 429
Temporomandibular joint
Differential modulation of TMJ neurons in superficial laminae of trigeminal subnucleus caudalis/upper cervical cord junction region of male and cycling female rats by morphine, **114**, 203
Thalamus
Unilateral spinal nerve ligation leads to an asymmetrical distribution of mast cells in the thalamus of female but not male mice, **114**, 131
Thermal anti-nociception
New evidence that both T-type calcium channels and $GABA_A$ channels are responsible for the potent peripheral analgesic effects of 5α-reduced neuroactive steroids, **114**, 429
Thermal sensation
Investigation of the paradoxical painful sensation ('illusion of pain') produced by a thermal grill, **114**, 160
Thiamine
Thiamine, pyridoxine, cyanocobalamin and their combination inhibit thermal, but not mechanical hyperalgesia in rats with primary sensory neuron injury, **114**, 266
Threshold
Quantitative assessment of experimental pain perception: multiple domains of clinical relevance, **114**, 315
Tolerance
Characterization of morphine-induced hyperalgesia in male and female rats, **114**, 62
Tolerance
Quantitative assessment of experimental pain perception: multiple domains of clinical relevance, **114**, 315
Treatment
Do men and women differ in their response to interdisciplinary chronic pain management?, **114**, 37
Treatment expectancy
Residual complaints following lumbar disc surgery: prognostic indicators of outcome, **114**, 177
Treatment outcomes
Race and socioeconomic differences in post-settlement outcomes for African American and Caucasian Workers' Compensation claimants with low back injuries, **114**, 462
Trigeminal caudal nucleus
Characterization of long-term potentiation of primary afferent transmission at trigeminal synapses of juvenile rats: essential role of subtype 5 metabotropic glutamate receptors, **114**, 417
Trigeminal nucleus caudalis
Lack of estrogen increases pain in the trigeminal formalin model: a behavioural and immunocytochemical study of transgenic ArKO mice, **114**, 257
Trigeminal subnucleus caudalis
Differential modulation of TMJ neurons in superficial laminae of trigeminal subnucleus caudalis/upper cervical cord junction region of male and cycling female rats by morphine, **114**, 203
Trophic changes
Relationship between pain symptoms and referred sensory and trophic changes in patients with gallbladder pathology, **114**, 239
Upper cervical spinal cord
Differential modulation of TMJ neurons in superficial laminae of trigeminal subnucleus caudalis/upper cervical cord junction region of male and cycling female rats by morphine, **114**, 203
Venlafaxine
Spinal $5\text{-}HT_{1A}$ receptors differentially influence nociceptive processing according to the nature of the noxious stimulus in rats: effect of WAY-100635 on the antinociceptive activities of paracetamol, venlafaxine and 5-HT, **114**, 482
Vocabulary
A normative analysis of the development of pain-related vocabulary in children, **114**, 278
Weight-bearing
Development and pharmacological characterization of a rat model of osteoarthritis pain, **114**, 339

Weight-bearing difference
Role of central and peripheral mGluR5 receptors in post-operative pain in rats, **114**, 195
Whiplash injury
Physical and psychological factors predict outcome following whiplash injury, **114**, 141
Whiplash
Prognostic factors for poor recovery in acute whiplash patients, **114**, 408
Workers' compensation
Race and socioeconomic differences in post-settlement outcomes for African American and Caucasian Workers' Compensation claimants with low back injuries, **114**, 462